Index of Authors

ACHUKWI, D. *See* KLÄGER, S. L.

ADAMS, P. J. *See* FASIHI HARANDI, M.

ADLARD, R. D. *See* KLEEMAN, S. N.

ADROHER, F. J. *See* IGLESIAS, L.

AHRENS, P. *See* ENEMARK, H. L.

AKHKHA, A., KUSEL, J., KENNEDY, M. and CURTIS, R. Effects of phytohormones on the surfaces of plant-parasitic nematodes, 165

ALLARY, M., SCHREVEL, J. and FLORENT, I. Properties, stage-dependent expression and localization of *Plasmodium falciparum* M1 family zinc-aminopeptidase, 1

ALLEY, E. S. *See* BOATIN, B. A.

ALONSO, V. *See* GONZÁLEZ, A. C.

ANDERSEN, J. S. *See* ENEMARK, H. L.

ARGUELLO-GARCIA, R., ARGUELLO-LOPEZ, C., GONZALES-ROBLES, A., CASTILLO-FIGUEROA, A. M. and ORTEGA-PIERRES, M. G. Sequential exposure and assembly of cyst wall filaments on the surface of encysting *Giardia duodenalis*, 209

ARGUELLO-LOPEZ, C. *See* ARGUELLO-GARCIA, R.

ARMSON, A., MENON, K., O'HARA, A., MACDONALD, L. M., READ, C. M., SARGENT, K., THOMPSON, R. C. A. and REYNOLDSON, J. A. Efficacy of oryzalin and associated histological changes in *Cryptosporidium*-infected neonatal rats, 113

ASHTON, F. T. *See* SCIACCA, J.

ATKINSON, H. J. *See* WINTER, M. D.

ATTWOOD, S. W., UPATHAM, E. S., MENG, X. H., QIU, D.-C. and SOUTHGATE, V. R. The phylogeography of Asian *Schistosoma* (Trematoda: Schistosomatidae), 99

AUCHIE, M. *See* STEPEK, G.

AZWAI, S. M. *See* IBRAHEM, M. M.

BAGNÈRES, A. G. *See* LORENZI, M. C.

BAJER, A., BEDNARSKA, M., PAWELCZYK, A., BEHNKE, J. M., GILBERT, F. S. and SINSKI, E. Prevalence and abundance of *Cryptosporidium parvum* and *Giardia* spp. in wild rural rodents from the Mazury Lake District region of Poland, 21

BARBOSA, M. C. *See* FERREIRA, C. A. S.

BARNWELL, J. W. *See* RAYNER, J. C.

BASTIEN, P. *See* LACHAUD, L.

BEDNARSKA, M. *See* BAJER, A.

BEHNKE, J. M. *See* BAJER, A.

BEHNKE, J. M. *See* MACNISH, M. G.

BENITEZ, R. *See* IGLESIAS, L.

BERTHE, F. *See* KLEEMAN, S. N.

BERX, G. *See* DE MAERE, V.

BILLIOUW, M. *See* GABRIËL, S.

BOAG, P. R., RANGANATHAN, S., NEWTON, S. E. and GASSER, R. B. A male-specific (cysteine-rich) protein of *Oesophagostomum dentatum* (Strongylida) with structural characteristics of a serine protease inhibitor containing two trypsin inhibitor-like domains, 445

BOATIN, B. A., TOÉ, L., ALLEY, E. S., NAGELKERKE, N. J. D., BORSBOOM, G. and HABBEMA, J. D. F. Detection of *Onchocerca volvulus* infection in low prevalence areas: a comparison of three diagnostic methods, 545

BOËTE, C., PAUL, R. E. L. and KOELLA, J. C. Reduced efficacy of the immune melanization response in mosquitoes infected by malaria parasites, 93

BORSBOOM, G. *See* BOATIN, B. A.

BOSTON, R. *See* SCIACCA, J.

BOUSSINESQ, M. *See* DUKE, B. O. L.

BURET, A. G., MITCHELL, K., MUENCH, D. G. and SCOTT, K. G. E. *Giardia lamblia* disrupts tight junctional ZO-1 and increases permeability in non-transformed human small intestinal epithelial monolayers: effects of epidermal growth factor, 11

BURNELL, A. M. *See* DOLAN, K. M.

CABLE, J. *See* TINSLEY, R. C.

CARCY, B. *See* DELBECQ, S.

CARCY, B. *See* DEPOIX, D.

CARMELO, E. *See* GONZÁLEZ, A. C.

CARTER, S. D. *See* IBRAHEM, M. M.

CASTILLO, M. G. and YOSHINO, T. P. Carbohydrate inhibition of *Biomphalaria glabrata* embryonic (Bge) cell adhesion to primary sporocysts of *Schistosoma mansoni*, 513

CASTILLO-FIGUEROA, A. M. *See* ARGUELLO-GARCIA, R.

CHABBERT, E. *See* LACHAUD, L.

CHLYEH, G., HENRY, P.-Y., SOURROUILLE, P., DELAY, B., KHALLAAYOUNE, K. and JARNE, P. Population genetics and dynamics at short spatial scale in *Bulinus truncatus*, the intermediate host of *Schistosoma haematobium*, in Morocco, 349

CLAEREBOUT, E. *See* DE MAERE, V.

COLEBROOK, A. L., JENKINS, D. D. and LIGHTOWLERS, M. W. Anti-parasitic effect of cyclosporin A on *Echinococcus granulosus* and characterization of the associated cyclophilin protein, 485

CORBIER, F. *See* ROMESTAND, B.

CORREDOR, V. *See* RAYNER, J. C.

COSGROVE, C. L. and SOUTHGATE, V. R. Mating interactions between *Schistosoma mansoni* and *S. margrebowiei*, 233

COURTENAY, O., QUINNELL, R. J., GARCEZ, L. M. and DYE, C. Low infectiousness of a wildlife host of *Leishmania infantum*: the crab-eating fox is not important for transmission, 407

CRAIG, P. S. *See* IBRAHEM, M. M.

CRANE, M. *See* MORLEY, N. J.

CURTIS, R. *See* AKHKHA, A.

CURTIS, R. H. C. *See* SHARON, E.

DA SILVA VAZ JR, I. *See* FERREIRA, C. A. S.

DAR, F. K. *See* IBRAHEM, M. M.

DE BONT, J. *See* GABRIËL, S.

DE MAERE, V., VERCAUTEREN, I., SAVERWYNS, H., CLAEREBOUT, E., BERX, G. and VERCRUYSSE, J. Identification of potential protective antigens of *Ostertagia ostertagi* with antibody probes, 383

DEDET, J.-P. *See* LACHAUD, L.

DEHLAWI, M. S. *See* KAMAL, M.

DEL CASTILLO, A. *See* GONZÁLEZ, A. C.

DELAY, B. *See* CHLYEH, G.

DELBECQ, S., PRECIGOUT, E., VALLET, A., CARCY, B., SCHETTERS, T. P. M. and GORENFLOT, A. *Babesia divergens*: cloning and biochemical characterization of Bd 37, 305

DEPOIX, D., CARCY, B., JUMAS-BILAK, E., PAGES, M., PRECIGOUT, E., SCHETTERS, T. P. M., RAVEL, C. and GORENFLOT, A. Chromosome number, genome size and polymorphism of European and South African isolates of large *Babesia* parasites that infect dogs, 313

DEREURE, J. *See* LACHAUD, L.

DEVANEY, E. *See* STEPEK, G.

DOENHOFF, M. J., STANLEY, R. G., GRIFFITHS, K. and JACKSON, C. L. An anti-atherogenic effect of *Schistosoma mansoni* infections in mice associated with a parasite-induced lowering of blood total cholesterol, 415

DOLAN, K. M., JONES, J. T. and BURNELL, A. M. Detection of changes occurring during recovery from the dauer stage in *Heterorhabditis bacteriophora*, 71

DUBESSAY, P. *See* LACHAUD, L.

DUKE, B. O. L., MARTY, A. M., PEET, D. L., GARDON, J., PION, S. D. S., KAMGNO, J. and BOUSSINESQ, M. Neoplastic change in *Onchocerca volvulus* and its relation to ivermectin treatment, 431

DUNN, A. M. *See* HOGG, J. C.

DYE, C. *See* COURTENAY, O.

EHMAN, K. D. and SCOTT, M. E. Female mice mate preferentially with non-parasitized males, 461

ENEMARK, H. L., AHRENS, P., JUEL, C. D., PETERSEN, E., PETERSEN, R. F., ANDERSEN, J. S., LIND, P. and THAMSBORG, S. M. Molecular characterization of Danish *Cryptosporidium parvum* isolates, 331

FASIHI HARANDI, M., HOBBS, R. P., ADAMS, P. J., MOBEDI, I., MORGAN-RYAN, U. M. and THOMPSON, R. C. A. Molecular and morphological characterization of *Echinococcus granulosus* of human and animal origin in Iran, 367

FELDMAN, D. *See* RAYNER, J. C.

FERREIRA, C. A. S., BARBOSA, M. C., SILVEIRA, T. C. L., VALENZUELA, J. G., DA SILVA VAZ JR, I. and MASUDA, A. cDNA cloning, expression and characterization of a *Boophilus microplus* paramyosin, 265

FLORENT, I. *See* ALLARY, M.

FORBES, W. M. *See* SCIACCA, J.

FRANZ, K. and KURTZ, J. Altered host behaviour: manipulation or energy depletion in tapeworm-infected copepods?, 187

GABRIËL, S., DE BONT, J., PHIRI, I. K., MASUKU, M., RIVEAU, G., SCHACHT, A. M., BILLIOUW, M. and VERCRUYSSE, J. The influence of colostrum on early *Schistosoma mattheei* infections in calves, 537

GALINSKI, M. R. *See* RAYNER, J. C.

GÁLVEZ, L. *See* IGLESIAS, L.

GAMBLE, H. R. *See* SCIACCA, J.

GANZORIG, S. *See* TSUKADA, H.

GARCEZ, L. M. *See* COURTENAY, O.

GARDON, J. *See* DUKE, B. O. L.

GASSER, R. B. *See* BOAG, P. R.

GILBERT, F. S. *See* BAJER, A.

GILES, M., WARHURST, D. C., WEBSTER, K. A., WEST, D. M. and MARSHALL, J. A. A multiplex allele specific polymerase chain reaction (MAS-PCR) on the dihydrofolate reductase gene for the detection of *Cryptosporidium parvum* genotypes 1 and 2, 35

GONZALES-ROBLES, A. *See* ARGUELLO-GARCIA, R.

GONZÁLEZ, A. C., MARTÍNEZ, E., CARMELO, E., PIÑERO, J. E., ALONSO, V., DEL CASTILLO, A. and VALLADARES, B. Analysis of NLS and rRNA binding motifs in the L25 ribosomal protein from *Leishmania* (*Viannia*) *braziliensis*: investigation of its diagnositic capabilities, 51

GORENFLOT, A. *See* DELBECQ, S.

GORENFLOT, A. *See* DEPOIX, D.

GRAY, J. S. *See* ZINTL, A.

GRIFFIN, C. T. *See* RYDER, J. J.

GRIFFITHS, K. *See* DOENHOFF, M. J.

GU, X. *See* HUBBARD, A.

GUERRERO, J. *See* SCIACCA, J.

HABBEMA, J. D. F. *See* BOATIN, B. A.

HAGEN, H.-E. *See* KLÄGER, S. L.

HAMAZAKI, K. *See* TSUKADA, H.

HARNETT, W. *See* STEPEK, G.

HATCHER, M. J. *See* HOGG, J. C.

HENRY, P.-Y. *See* CHLYEH, G.

HERTZBERG, H., HUWYLER, U., KOHLER, L., REHBEIN, ST. and WANNER, M. Kinetics of exsheathment of infective ovine and bovine strongylid larvae *in vivo* and *in vitro*, 65

HOBBS, R. P. *See* FASIHI HARANDI, M.

HOGG, J. C., IRONSIDE, J. E., SHARPE, R. G., HATCHER, M. J., SMITH, J. E. and DUNN, A. M. Infection of *Gammarus duebeni* populations by two vertically transmitted microsporidia; parasite detection and discrimination by PCR–RFLP, 59

HONG, S. J. *See* KIM, H. S.

HUBBARD, A., LIANG, S., MASZLE, D., QIU, D., GU, X. and SPEAR, R. C. Estimating the distribution of worm burden and egg excretion of *Schistosoma japonicum* by risk group in Sichuan Province, China, 221

HULTMARK, D. *See* KLÄGER, S. L.

HUWYLER, U. *See* HERTZBERG, H.

IBRAHEM, M. M., RAFIEI, A., DAR, F. K., AZWAI, S. M., CARTER, S. D. and CRAIG, P. S. Serodiagnosis of cystic echinococcosis in naturally infected camels, 245

IDERABDULLAH, F. *See* RAYNER, J. C.

IGLESIAS, L., VALERO, A., GÁLVEZ, L., BENITEZ, R. and ADROHER, F. J. *In vitro* cultivation of *Hysterothylacium aduncum* (Nematoda: anisakidae) from 3rd-stage larvae to egg-laying adults, 467

INGRAVALLO, P. *See* RAYNER, J. C.

IRONSIDE, J. E. *See* HOGG, J. C.

IWAKI, T. *See* TSUKADA, H.

JACKSON, C. L. *See* DOENHOFF, M. J.

JACOBSON, R. L. *See* SCHLEIN, Y.

JARNE, P. *See* CHLYEH, G.

JENKINS, D. D. *See* COLEBROOK, A. L.

JEON, B. H. *See* KIM, H. S.

JEON, J. S. *See* KIM, H. S.

JONES, J. T. *See* DOLAN, K. M.

JUEL, C. D. *See* ENEMARK, H. L.

JUMAS-BILAK, E. *See* DEPOIX, D.

KABA, S. A., NENE, V., MUSOKE, A. J., VLAK, J. M. and VAN OERS, M. M. Fusion to green fluorescent protein improves expression levels of *Theileria parva* sporozoite surface antigen p67 in insect cells, 497

KAM, K. Y. *See* KIM, H. S.

KAMAL, M., DEHLAWI, M. S., ROSA BRUNET, L. and WAKELIN, D. Paneth and intermediate cell hyperplasia induced in mice by helminth infections, 275

KAMGNO, J. *See* DUKE, B. O. L.

KAMIYA, M. *See* TSUKADA, H.

KENNEDY, M. *See* AKHKHA, A.

KETSCHEK, A. *See* SCIACCA, J.

KHALLAAYOUNE, K. *See* CHLYEH, G.

KIM, H. S., KAM, K. Y., RYU, P. D., HONG, S. J., JEON, J. S., JEON, B. H., KIM, K. J. and PARK, J. B. A gadolinium and pH-sensitive hyperpolarization-activated cation current in acutely isolated single neurones from *Fasciola hepatica*, 423

KIM, K. J. *See* KIM, H. S.

KLÄGER, S. L., WATSON, A., ACHUKWI, D., HULTMARK, D. and HAGEN, H.-E. Humoral immune response of *Simulium damnosum* s.l. following filarial and bacterial infections, 359

KLEEMAN, S. N., LE ROUX, F., BERTHE, F. and ADLARD, R. D. Specificity of PCR and *in situ* hybridization assays designed for detection of *Marteilia sydneyi* and *M. refringens*, 131

KOELLA, J. C. *See* BOËTE, C.

KOHLER, L. *See* HERTZBERG, H.

KONNO, K. *See* TSUKADA, H.

KOTZE, A. C. *See* SHERIFF, J. C.

KURTZ, J. *See* FRANZ, K.

KUSEL, J. *See* AKHKHA, A.

KUSEL, J. R. *See* SATO, H.

LACHAUD, L., CHABBERT, E., DUBESSAY, P., DEREURE, J., LAMOTHE, J., DEDET, J.-P. and BASTIEN, P. Value of two PCR methods for the diagnosis of canine visceral leishmaniasis and the detection of asymptomatic carriers, 197

LAGAPA, J. T. *See* TSUKADA, H.

LAMOTHE, J. *See* LACHAUD, L.

LE ROUX, F. *See* KLEEMAN, S. N.

LEATHWICK, D. M. *See* SUTHERLAND, I. A.

LEWIS, J. W. *See* MORLEY, N. J.

LIANG, S. *See* HUBBARD, A.

LIGHTOWLERS, M. W. *See* COLEBROOK, A. L.

LIND, P. *See* ENEMARK, H. L.

LORENZI, M. C. and BAGNÈRES, A. G. Concealing identity and mimicking hosts: a dual chemical strategy for a single social

parasite? (*Polistes atrimandibularis*, Hymenoptera: Vespidae), 507
LUKEŠ, J. *See* VOTÝPKA, J.

MACDONALD, L. M. *See* ARMSON, A.
MACNISH, M. G., MORGAN-RYAN, U. M., MONIS, P. T., BEHNKE, J. M. and THOMPSON, R. C. A. A molecular phylogeny of nuclear and mitochondrial sequences in *Hymenolepis nana* (Cestoda) supports the existence of a cryptic species, 567
McPHERSON, M. J. *See* WINTER, M. D.
MARSHALL, J. A. *See* GILES, M.
MARTIN, R. J. *See* SHERIFF, J. C.
MARTÍNEZ, E. *See* GONZÁLEZ, A. C.
MARTY, A. M. *See* DUKE, B. O. L.
MASUDA, A. *See* FERREIRA, C. A. S.
MASUKU, M. *See* GABRIËL, S.
MASZLE, D. *See* HUBBARD, A.
MATSUO, K. *See* TSUKADA, H.
MENG, X. H. *See* ATTWOOD, S. W.
MENON, K. *See* ARMSON, A.
MITCHELL, K. *See* BURET, A. G.
MOBEDI, I. *See* FASIHI HARANDI, M.
MOEN, I. C. *See* SUTHERLAND, I. A.
MONIS, P. T. *See* MACNISH, M. G.
MORGAN-RYAN, U. M. *See* FASIHI HARANDI, M.
MORGAN-RYAN, U. M. *See* MACNISH, M. G.
MORISHIMA, Y. *See* TSUKADA, H.
MORLEY, N. J., CRANE, M. and LEWIS, J. W. Toxicity of cadmium and zinc to cercarial tail loss in *Diplostomum spathaceum* (Trematoda: Diplostomidae), 293
MUENCH, D. G. *See* BURET, A. G.
MULCAHY, G. *See* ZINTL, A.
MUSOKE, A. J. *See* KABA, S. A.

NAGELKERKE, N. J. D. *See* BOATIN, B. A.
NENE, V. *See* KABA, S. A.
NEWTON, S. E. *See* BOAG, P. R.
NONAKA, N. *See* TSUKADA, H.

OBORNÍK, M. *See* VOTÝPKA, J.
O'HARA, A. *See* ARMSON, A.
OKU, Y. *See* TSUKADA, H.
ONO, A. *See* TSUKADA, H.
ORTEGA-PIERRES, M. G. *See* ARGUELLO-GARCIA, R.

PAGES, M. *See* DEPOIX, D.
PARK, J. B. *See* KIM, H. S.
PATERSON, S. and VINEY, M. E. Host immune responses are necessary for density dependence in nematode infections, 283
PAUL, R. E. L. *See* BOËTE, C.
PAWELCZYK, A. *See* BAJER, A.
PEET, D. L. *See* DUKE, B. O. L.
PETERSEN, E. *See* ENEMARK, H. L.
PETERSEN, R. F. *See* ENEMARK, H. L.
PHIRI, I. K. *See* GABRIËL, S.
PIÑERO, J. E. *See* GONZÁLEZ, A. C.
PION, S. D. S. *See* DUKE, B. O. L.
POINAR JR, G. First fossil record of nematode parasitism of ants: a 40 million year tale, 457
PORTER, R. *See* TINSLEY, R. C.
PRECIGOUT, E. *See* DELBECQ, S.
PRECIGOUT, E. *See* DEPOIX, D.

QIU, D. *See* HUBBARD, A.
QIU, D.-C. *See* ATTWOOD, S. W.
QUINNELL, R. J. *See* COURTENAY, O.

RAFIEI, A. *See* IBRAHEM, M. M.
RANGANATHAN, S. *See* BOAG, P. R.
RAVEL, C. *See* DEPOIX, D.
RAYNER, J. C., CORREDOR, V., FELDMAN, D., INGRAVALLO, P., IDERABDULLAH, F., GALINSKI, M. R. and BARNWELL, J. W. Extensive polymorphism in the *Plasmodium vivax* merozoite surface coat protein MSP-3α is limited to specific domains, 393
READ, C. M. *See* ARMSON, A.
REHBEIN, ST. *See* HERTZBERG, H.
REYNOLDSON, J. A. *See* ARMSON, A.
RIVEAU, G. *See* GABRIËL, S.
ROCH, P. *See* ROMESTAND, B.
ROMESTAND, B., CORBIER, F. and ROCH, P. Protease inhibitors and haemagglutinins associated with resistance to the protozoan parasite, *Perkinsus marinus*, in the pacific oyster, *Crassostrea gigas*, 323
ROSA BRUNET, L. *See* KAMAL, M.
RUSSELL, D. G. *See* STEPEK, G.
RYDER, J. J. and GRIFFIN, C. T. Density-dependent fecundity and infective juvenile production in the entomopathogenic nematode, *Heterorhabditis megidis*, 83
RYU, P. D. *See* KIM, H. S.

SAKAI, H. *See* TSUKADA, H.
SALOMON, R. *See* SHARON, E.
SANGSTER, N. C. *See* SHERIFF, J. C.
SARGENT, K. *See* ARMSON, A.
SATO, H., KUSEL, J. R. and THORNHILL, J. Functional visualization of the excretory system of adult *Schistosoma mansoni* by the fluorescent marker resorufin, 527
SAVERWYNS, H. *See* DE MAERE, V.
SCHACHT, A. M. *See* GABRIËL, S.
SCHAD, G. A. *See* SCIACCA, J.
SCHETTERS, T. P. M. *See* DELBECQ, S.
SCHETTERS, T. P. M. *See* DEPOIX, D.
SCHLEIN, Y. and JACOBSON, R. L. Linkage between susceptibility of *Phlebotomus papatasi* to *Leishmania major* and hunger tolerance, 343
SCHREVEL, J. *See* ALLARY, M.
SCIACCA, J., KETSCHEK, A., FORBES, W. M., BOSTON, R., GUERRERO, J., ASHTON, F. T., GAMBLE, H. R. and SCHAD, G. A. Vertical migration by the infective larvae of three species of parasitic nematodes: is the behaviour really a response to gravity?, 553
SCOTT, K. G. E. *See* BURET, A. G.
SCOTT, M. E. *See* EHMAN, K. D.
SHARON, E., SPIEGEL, Y., SALOMON, R. and CURTIS, R. H. C. Characterization of *Meloidogyne javanica* surface coat with antibodies and their effect on nematode behaviour, 177
SHARPE, R. G. *See* HOGG, J. C.
SHERIFF, J. C., KOTZE, A. C., SANGSTER, N. C. and MARTIN, R. J. Effects of macrocyclic lactone anthelmintics on feeding and pharyngeal pumping in *Trichostrongylus colubriformis in vitro*, 477
SHIMIZU, M. *See* TSUKADA, H.
SILVEIRA, T. C. L. *See* FERREIRA, C. A. S.
SINSKI, E. *See* BAJER, A.
SKERRETT, H. E. *See* ZINTL, A.
SMITH, J. E. *See* HOGG, J. C.
SOURROUILLE, P. *See* CHLYEH, G.
SOUTHGATE, V. R. *See* ATTWOOD, S. W.
SOUTHGATE, V. R. *See* COSGROVE, C. L.
SPEAR, R. C. *See* HUBBARD, A.
SPIEGEL, Y. *See* SHARON, E.
STANLEY, R. G. *See* DOENHOFF, M. J.
STEPEK, G., AUCHIE, M., TATE, R., WATSON, K., RUSSELL, D. G., DEVANEY, E. and HARNETT, W. Expression of the filarial nematode phosphorylcholine-containing glycoprotein, ES62, is stage specific, 155
SUTHERLAND, I. A., MOEN, I. C. and LEATHWICK, D. M. Increased burdens of drug-resistant nematodes due to anthelmintic treatment, 375
SVOBODOVÁ, M. *See* VOTÝPKA, J.

TATE, R. *See* STEPEK, G.
THAMSBORG, S. M. *See* ENEMARK, H. L.
THOMPSON, R. C. A. *See* ARMSON, A.
THOMPSON, R. C. A. *See* FASIHI HARANDI, M.
THOMPSON, R. C. A. *See* MACNISH, M. G.
THORNHILL, J. *See* SATO, H.
TINSLEY, R. C., CABLE, J. and PORTER, R. Pathological effects of *Pseudodiplorchis americanus* (Monogenea: Polystomatidae) on the lung epithelium of its host, *Scaphiopus couchii*, 143
TOÉ, L. *See* BOATIN, B. A.
TSUKADA, H., HAMAZAKI, K., GANZORIG, S., IWAKI, T., KONNO, K., LAGAPA, J. T., MATSUO, K., ONO, A., SHIMIZU, M., SAKAI, H., MORISHIMA, Y., NONAKA, N., OKU, Y. and KAMIYA, M. Potential remedy against *Echinococcus multilocularis* in wild red foxes using baits with anthelmintic distributed around fox breeding dens in Hokkaido, Japan, 119

UPATHAM, E. S. *See* ATTWOOD, S. W.

VALENZUELA, J. G. *See* FERREIRA, C. A. S.
VALERO, A. *See* IGLESIAS, L.
VALLADARES, B. *See* GONZÁLEZ, A. C.
VALLET, A. *See* DELBECQ, S.
VAN OERS, M. M. *See* KABA, S. A.
VERCAUTEREN, I. *See* DE MAERE, V.
VERCRUYSSE, J. *See* DE MAERE, V.
VERCRUYSSE, J. *See* GABRIËL, S.
VINEY, M. E. *See* PATERSON, S.
VLAK, J. M. *See* KABA, S. A.
VOLF, P. *See* VOTÝPKA, J.
VOTÝPKA, J., OBORNÍK, M., VOLF, P., SVOBODOVÁ, M. and LUKEŠ, J. *Trypanosoma avium* of raptors (Falconiformes): phylogeny and identification of vectors, 253

WAKELIN, D. *See* KAMAL, M.
WANNER, M. *See* HERTZBERG, H.
WARHURST, D. C. *See* GILES, M.
WATSON, A. *See* KLÄGER, S. L.
WATSON, K. *See* STEPEK, G.
WEBSTER, K. A. *See* GILES, M.
WEST, D. M. *See* GILES, M.
WESTBROOK, C. *See* ZINTL, A.
WINTER, M. D., MCPHERSON, M. J. and ATKINSON, H. J. Neuronal uptake of pesticides disrupts chemosensory cells of nematodes, 561

YOSHINO, T. P. *See* CASTILLO, M. G.

ZINTL, A., WESTBROOK, C., SKERRETT, H. E., GRAY, J. S. and MULCAHY, G. Chymotrypsin and neuraminidase treatment inhibits host cell invasion by *Babesia divergens* (Phylum *Apicomplexa*), 45

Index of Subjects

Aminopeptidase, M1 family, from *Plasmodium falciparum*, 1
Ant parasitism, by nematodes, first fossil record of, 457
Anthelmintic baits, use of around fox breeding dens as a remedy against *Echinococcus multilocularis*, 119
Anthelmintic treatment, increased burdens of drug-resistant nematodes due to, 375
Anti-atherogenic effect, of *Schistosoma mansoni* infection, in mice, 415
Antibodies, against the surface coat of *Meloidogyne javanica*, effect of on nematode behaviour, 177
Atherosclerosis, reduction of by *Schistosoma mansoni* infection in mice, 415
Avian trypanosomes, phylogeny and vectors of, 253

Babesia divergens, cloning and biochemical characterization of Bd37, 305
erythrocyte invasion by is inhibited by chymotrypsin and neuraminidase, 45
Babesia parasites of dogs, chromosomal analysis of, 313
Bd37 protein, from *Babesia divergens*, 305
Biomphalaria glabrata, carbohydrate inhibition of embryonic (Bge) cell adhesion to *Schistosoma mansoni*, 513
Boophilus microplus, paramyosins from, 265
Bulinus truncatus, population genetics and dynamics in, 349

Camelus dromedarius, serodiagnosis of cystic echinococcosis in, 245
Canine visceral leishmaniasis, diagnosis of by PCR, 197
Cercarial tail loss, effects of toxic heavy metals on, 293
Cestode-infected copepods, what influences altered host behaviour?, 187
Chromosomal analysis, of large canine *Babesia* parasites, 313
Chymotrypsin, inhibition of *Babesia divergens* host cell invasion by, 45
Colostrum, influence of on early *Schistosoma mattheei* infections in calves, 537
Crab-eating fox, is not important for transmission of *Leishmania infantum*, 407
Cryptic species, evidence of from molecular phylogeny in *Hymenolepis nana*, 567
Cryptosporidium-infected neonatal rats, efficacy of oryzalin and histological changes in, 113
Cryptosporidium parvum, detection of genotypes 1 and 2 of using multiplex polymerase chain reaction, 35
molecular characterization of Danish isolates of, 331
prevalence and abundance of in wild rural rodents, 21
Cultivation, of *Hysterothylacium aduncum in vitro*, 467
Cyclosporin A, anti-parasitic effect of on *Echinococcus granulosus*, 485
Cystic echinococcosis, serodiagnosis of in camels, 245
Cyst wall filaments, assembly of in *Giardia duodenalis*, 209

Danish *Cryptosporidium parvum*, molecular characterization of isolates of, 331
Dauer recovery, in *Heterorhabditis bacteriophora*, 71
Density dependence, in nematode infections, 283
Diagnosis, of canine visceral leishmaniasis by PCR, 197
Diagnostic methods, for detection of *Onchocerca volvulus* infection in low prevalence areas, 545
Drug-resistant nematodes, selection of, 375

Echinococcus granulosus, anti-parasitic effect of cyclosporin A on, 485
molecular and morphological characterization of, 367
Echinococcus multilocularis, potential remedy against in wild foxes, 119
Egg excretion, of *Schistosoma japonicum* in China, 221
Electrophysiological properties, of single isolated neurones from *Fasciola hepatica*, 423
Encystation, assembly of cyst wall filaments during in *Giardia duodenalis*, 209
Energy depletion, role of in altered host behaviour, 187
Epidermal growth factor, effects of on *Giardia lamblia* cytopathology, 11
ES62, expression of by filarial nematodes is stage specific, 155
Excretory system, of adult *Schistosoma mansoni*, functional visualization of using resorufin, 527
Expression, of filarial nematode glycoprotein is stage specific, 155
Exsheathment, of infective ovine and bovine strongylid larvae, kinetics of *in vivo* and *in vitro*, 65

Fasciola hepatica, electrophysiological properties of single isolated neurones of, 423
Fecundity, density dependence of in *Heterorhabditis megidis*, 83
Feeding and pharyngeal pumping, in *Trichostrongylus colubriformis*, effects of macrocyclic lactone on, 477
Filarial nematode glycoprotein, expression of is stage specific, 155
Fossil record, of nematode parasitism in ants, 457

Gammarus duebeni, infection of by vertically transmitted microsporidia, 59
Genotyping, of *Cryptosporidium parvum* genotypes 1 and 2 using MAS-PCR, 35
Giardia duodenalis, cyst wall filament assembly in, 209
Giardia lamblia, effects of epidermal growth factor on cytopathology of, 11
Giardia spp., prevalence and abundance of in wild rural rodents, 21
GPI-anchored protein, from *Babesia divergens*, 305
Gravity, is there an effect of on parasitic nematode behaviour?, 553
Green fluorescent protein, binding of *Theileria parva* antigen p67 to increases expression, 497

Haemagglutinins, association of with resistance of oysters to parasites, 323
Heavy metals, toxicity of to cercarial tail loss in *Diplostomum spathaceum*, 293
Helminth infections, induction of Paneth cell hyperplasia by, 275
Heterorhabditis bacteriophora, detection of dauer recovery in, 71
Heterorhabditis megidis, density-dependent fecundity and infective juvenile production in, 83
Host behaviour, alteration of in tapeworm-infected copepods – manipulation or energy depletion?, 187
Host immune response, importance of for density dependence in nematode infections, 283
Host manipulation, role of in altered host behaviour, 187
Hunger tolerance, association of with susceptibility of *Phlebotomus papatasi* to *Schistosoma mansoni*, 343
Hymenolepis nana, existence of a cryptic species of, 567
Hyperpolarization-activated cation current, in isolated neurones from *Fasciola hepatica*, 423
Hysterothylacium aduncum, in vitro cultivation of, 467

Identity, concealment of by *Polistes atrimandibularis*, 507
Immune response, of *Simulium damnosum* s.l., following filarial and bacterial infections, 359
Immunosuppression, in malaria-infected mosquitoes, 93
Infectiousness, of a wildlife host of *Leishmania infantum*, 407
Infective juvenile production, in *Heterorhabditis megidis*, 83
Inhibition, by carbohydrate, of *Biomphalaria glabrata* embryonic (Bge) cell adhesion to *Schistosoma mansoni*, 513
In situ hybridization assay, specificity of for detection of *Marteilia sydneyi* and *M. refringens*, 131
Intestinal pathophysiology, due to *Giardia lamblia*, effects of epidermal growth factor on, 11
Iran, characterization of *Echinococcus granulosus* in, 367
Ivermectin treatment, effect of on neoplasms in *Onchocerca volvulus*, 431

Leishmania braziliensis, analysis of L25 ribosomal protein from, 51
Leishmania infantum, low infectiousness of a wildlife host of, 407
Leishmania major, susceptibility of *Phlebotomus papatasi* to, 343

M1 family zinc-aminopeptidase, from *Plasmodium falciparum*, 1
Macrocyclic lactone anthelmintics, effects of on *Trichostrongylus colubriformis in vitro*, 477
Malaria-infected mosquitoes, reduced immunocompetence of, 93
Male-specific protein, of *Oesophagostomum dentatum*, 445
Marteilia spp., specificity of DNA assays for the detection of, 131
MAS-PCR, use of for detection of *Cryptosporidium parvum* genotypes 1 and 2, 35
Mate choice, effect of parasitic infection on in mice, 461
Mating interactions, between *Schistosoma mansoni* and *S. margrebowiei*, 233
Meloidogyne javanica, characterization of the surface coat of, with antibodies, 177
Merozoite surface coat protein, of *Plasmodium vivax*, diversity of, 393
Microsporidia, detection and discrimination of infections of in *Gammarus duebeni*, 59
Mimicking host, by *Polistes atrimandibularis*, 507
Molecular characterization, of Danish *Cryptosporidium parvum* isolates, 331
of *Echinococcus granulosus* in Iran, 367
Molecular cloning and expression, of *Boophilus microplus* paramyosin, 265
Molecular phylogeny, of nuclear and mitochondrial sequences, supports a cryptic species in *Hymenolepis nana*, 567
Mosquitoes, infected with malaria, show immunosuppression, 93
MSP-3α, from *Plasmodium vivax*, extensive polymorphism in, 393

Nematode infections, host immune response and density dependence in, 283
Nematodes, plant-parasitic, effects of phytohormones on the surfaces of, 165
Neoplastic change, in *Onchocerca volvulus* after ivermectin treatment, 431
Neuraminidase, inhibition of *Babesia divergens* host cell invasion by, 45
Neuronal uptake, of pesticides, disrupts chemosensory cells of nematodes, 561
Nuclear localisation sequence (NLS), in *Leishmania braziliensis* L25 ribosomal protein, 51

Oesophagostomum dentatum, a male-specific cysteine-rich protein from, 445
Onchocerca volvulus, detection of infections of in low prevalence areas, 545
neoplastic change in after ivermectin treatment, 431
Oryzalin, efficacy of and histological changes in *Cryptosporidium*-infected neonatal rats, 113
Ostertagia ostertagi, identification of potential protective antigens of, 383

Paneth cell hyperplasia, induction of by helminth infections, 275
Paramyosin, cDNA cloning, expression and characterization of from *Boophilus microplus*, 265
Parasitic nematodes, vertical migration of, 553
Pathology, induced in the host by *Pseudodiplorchis americanus*, 143
PCR, specificity of for detection of *Marteilia sydneyi* and *M. refringens*, 131
Pesticides, neuronal uptake of disrupts chemosensory cells of nematodes, 561
Phlebotomus papatasi, susceptibility of to *Leishmania major*, 343
Phylogeography, of Asian *Schistosoma* spp., 99
Phytohormones, effects of on the surfaces of plant-parasitic nematodes, 165
Plant-parasitic nematodes, effects of phytohormones on the surfaces of, 165
Plasmodium falciparum, properties of M1 zinc-amino peptidase from, 1
Plasmodium vivax, extensive polymorphism in the merozoite surface coat protein of, 393
Polistes atrimandibularis, chemical strategies of, 507
Population dynamics, in *Bulinus truncatus*, 349
Population genetics, in *Bulinus truncatus*, 349
Protease inhibitors, association of with resistance of oysters to parasites, 323
Protective antigens, of *Ostertagia ostertagi*, 383
Pseudodiplorchis americanus, pathology induced by in *Scaphiopus couchii*, 143

Raptors (Falconiformes), *Trypanosoma avium* in, 253
Resistance, of oysters to parasites, 323
Resorufin, use of to visualize the excretory system of adult *Schistosoma mansoni*, 527
rRNA binding motifs, in L25 ribosomal protein from *Leishmania braziliensis*, 51
Rodents, prevalence and abundance of *Cryptosporidium parvum* and *Giardia* spp. in, 21

Scaphiopus couchii, pathology induced in the lung epithelium of, induced by *Pseudodiplorchis americanus*, 143
Schistosoma japonicum, distribution of worm burden and egg excretion of in China, 221
Schistosoma mansoni, carbohydrate inhibition of *Biomphalaria glabrata* embryonic (Bge) cell adhesion to, 513
mating interactions with *S. margrebowiei*, 233
visualization of the excretory system of using resorufin, 527
Schistosoma mansoni infection, anti-atherogenic effect of in mice, 415
Schistosoma margrebowiei, mating interactions with *S. mansoni*, 233
Schistosoma mattheei, influence of colostrum on early infections of in calves, 537
Schistosoma spp., hypotheses for the origin of, from phylogeography, 99
phylogeography of, from Southeast Asia, 99
Schistosomiasis, and lowering of blood total cholesterol during in mice, 415
Serine protease inhibitor-like protein, from *Oesophagostomum dentatum*, 445
Serodiagnosis, of cystic echinococcosis in camels, 245
Sexual selection, is parasite mediated in mice, 461
Simulium damnosum s.l., humoral immune response of, 359
Sporozoite surface antigen p67, increased expression of following binding to green fluorescent protein, 497
Strongylid larvae, kinetics of exsheathment of *in vivo* and *in vitro*, 65
Surface coat, of *Meloidogyne javanica*, characterization of with antibodies, 177

Theileria parva, increased expression of sporozoite surface antigen p67 of by binding to green fluorescent protein, 497
Toxicity, of cadmium and zinc to cercarial tail loss in *Diplostomum spathaceum*, 293
Trichostrongylus colubriformis, effects of macrocyclic lactone anthelmintics on *in vitro*, 477
Trypanosoma avium, phylogeny and vectors of, 253

Vertical migration, by the infective larvae of three species of parasitic nematodes, 553
Visceral leishmaniasis, diagnosis of in dogs by PCR, 197
Vulpes vulpes, potential remedy against *Echinococcus multilocularis* infection in, 119

Worm burden, distribution of for *Schistosoma japonicum* in China, 221